

BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS

B.C. HIV/AIDS Drug Treatment Program

Monthly Report

October 2023



© 2024 BC Centre for Excellence in HIV/AIDS

DISCLAIMER: This document is published by the British Columbia Centre for Excellence in HIV/AIDS (BC-CfE) as an overview of the activities of the BC-CfE's Drug Treatment Program. All information is generated from a live database maintained by the BC-CfE that houses data for clinical and virological outcome studies of patients receiving antiretroviral therapy.

This database is updated on a regular basis. Figures and tables provided in this Monthly Report represent the best estimates available at the time this document was generated.

Please be advised that information provided in this document is provided in good faith and is derived from sources believed to be accurate and up-to-date at the report's date of publication. The BC Centre for Excellence in HIV/AIDS nevertheless reserves the right to update this information at any time.

Information provided here at this time, is being provided freely, and no kind of agreement or contract is created between you and the authors. The authors cannot be responsible for any violations should you reproduce or republish the information contained herein.

Please note that the figures and graphs in this document are best viewed in colour.

BC Centre for Excellence in HIV/AIDS Drug Treatment Program

St. Paul's Hospital 687 - 1081 Burrard Street Vancouver, BC V6Z 1Y6

Tel: 604.806.8515 Fax: 604.806.9044

Physician Drug Hotline: 1.800.665.7677 St. Paul's Hospital Pharmacy Hotline: 1.888.511.6222 Website: www.bccfe.ca Email: info@bccfe.ca

Funding for the BC Centre for Excellence in HIV/AIDS is provided through Pharmacare and the Provincial Health Services Authority (PHSA)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







EXECUTIVE SUMMARY

A key component of the BC Centre for Excellence in HIV/AIDS' (BC-CfE) mandate is to monitor the impact of HIV/AIDS in British Columbia. The BC-CfE provides essential information to local health authorities, treating physicians, and the community at large on an ongoing basis. The HIV/AIDS Drug Treatment Program (DTP) Update is one example of the BC-CfE's commitment to people living with HIV throughout the Province of British Columbia.

The DTP distributes anti-HIV drugs at no cost to eligible British Columbians. The DTP Update provides an important overview of available anti-HIV drugs, common drug combinations and distribution of active DTP participants throughout the province.

DTP participants are typically followed at three-monthly intervals at which time routine blood sampling is performed. Information from all recipients is entered into a database, providing data for clinical and virological outcome studies of patients receiving antiretroviral therapy. These studies form the basis of ongoing revisions to the BC-CfE's treatment guidelines.



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







TABLE OF CONTENTS

1. List of Figures

- 1.1 Distribution of males and females on antiretroviral therapy in British Columbia by Health Authority
- 1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category
- 1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category
- 1.4 BC-CfE Enrolment: Net Number of New Antiretroviral Participants
- 1.5 BC-CfE Enrolment: New Antiretroviral Participants
- 1.6 Percent Distribution of Active Participants by CD4 Count
- 1.7 Percent Distribution of Inactive Participants by CD4 Count
- 1.8 Active and Inactive Participants
- 1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 1.10 Distribution of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by Ingredient
- 1.12 Distribution of Participants on Protease Inhibitor by Ingredient
- 1.13 Distribution of Participants on Protease Inhibitor at the time of first start of ARV Therapy by Ingredient
- 1.14 Distribution of Participants on Non-Nucleosides by Ingredient
- 1.15 Distribution of Participants on Non-Nucleosides at the time of first start of ARV Therapy by Ingredient
- 1.16 Distribution of Participants on Entry/Integrase Inhibitors by Ingredient
- 1.17 Distribution of Participants on Entry/Integrase Inhibitors at the time of first start of ARV Therapy by Ingredient
- 1.18 Baseline CD4 for Antiretroviral First Starts
- 1.19 DTP Participants with PVL Measurement within previous five years, and never on ART
- 1.20 Cumulative Resistance Testing Results by Resistance Category
- 1.21 Percent of Participants ever on ARV Resistance Testing Results by Resistance Category

2. List of Tables

- 2.1 Duration of ARV treatment in the Province of BC, 1987-2022 (for HIV+ persons currently on treatment)
- 2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program
- 2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program
- 2.4 BC-CfE Enrolment
- 2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 2.6 Number of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 2.7 Number of Participants on Protease Inhibitor by Ingredient
- 2.8 Number of Participants on Non-Nucleosides by Ingredient
- 2.9 Number of Participants on Entry/Integrase Inhibitors by Ingredient
- 2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category
- 2.11 Baseline CD4 for Antiretroviral First Starts
- 2.12 DTP Participants with PVL Measurement within previous five years, and never on ART



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Table of Contents, cont'd...

3. Health Authority Maps

- 3.1 Distribution of HIV/AIDS Drug Treatment Program Active Participants
- 3.2 Interior Health Authority & Kelowna
- 3.3 Fraser Health Authority & Surrey
- 3.4 Vancouver Coastal Health Authority & Vancouver
- 3.5 Vancouver Island Health Authority & Victoria
- 3.6 Northern Health Authority & Prince George

4. Health Authority Tables

INTERIOR HEALTH

- 4.1 Distribution of Participants in BC-CfE Registries by Age and Sex at birth
- 4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.3 Distribution of ARV Prescribers in BC-CfE Registries

FRASER HEALTH

- 4.4 Distribution of Participants in BC-CfE Registries by Age and Sex at birth
- 4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.6 Distribution of ARV Prescribers in BC-CfE Registries

VANCOUVER COASTAL

- 4.7 Distribution of Participants in BC-CfE Registries by Age and Sex at birth
- 4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.9 Distribution of ARV Prescribers in BC-CfE Registries

VANCOUVER ISLAND

- 4.10 Distribution of Participants in BC-CfE Registries by Age and Sex at birth
- 4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.12 Distribution of ARV Prescribers in BC-CfE Registries

NORTHERN HEALTH

- 4.13 Distribution of Participants in BC-CfE Registries by Age and Sex at birth
- 4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.15 Distribution of ARV Prescribers in BC-CfE Registries

ABORIGINAL

4.16 Distribution of Indigenous Participants in BC-CfE Registries by Health Service Delivery Area and Sex at birth

5. Appendix

5.1 Drug Names and Definitions










1.1 Distribution of males and females on antiretroviral therapy in British Columbia by Health Authority

October 2023

N = 7621



Health Authority	Male	Female	All
FRASER	1534	474	2008
INTERIOR	464	121	585
NORTHERN	152	79	231
VANCOUVER COASTAL	3320	453	3773
VANCOUVER ISLAND	831	168	999
	6301	1295	7596
		Unknown/not stated:	25
		Total:	7621

Definitions:

On antiretroviral therapy defined as being on treatment in the current month Unknown/not stated defined as being on treatment in the current month, and city of residence unknown Male & Female refer to Sex at birth




BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report



1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category (October 2018 - October 2023)

Regimen categories may contain a small number of participants with undetermined regimen, due to medication change(s) within the month




BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report



1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category (October 2018 - October 2023)

Regimen categories may contain a small number of participants with undetermined regimen, due to medication change(s) within the month





BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report






NCE HEALTH CARE How you want to be treated.




Monthly Report

1.5 BC-CfE Enrolment: New Antiretroviral Participants (October 2018 - October 2023)



Monthly Report





Ministry of Health

BRITISH COLUMBIA



BRITISH COLUMBIA

in HIV/AIDS


CENTRE for **EXCELLENCE**

rovidence

HEALTH CARE

How you want to be treated.

Monthly Report



Percent Distribution of Inactive Participants by CD4 Count 1.7 (October 2018 - October 2023)

BRITISH COLUMBIA **CENTRE** for **EXCELLENCE** in HIV/AIDS


rovidence HEALTH CARE How you want to be treated.





Monthly Report

1.8 Active and Inactive Participants (October 2018 - October 2023)




Monthly Report

CENTRE for **EXCELLENCE**

in HIV/AIDS

HEALTH CARE

How you want to be treated.




Ministry of Health

BRITISH COLUMBIA

1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs (October 2018 - October 2023)

Monthly Report








Monthly Report

1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by INGREDIENT

(October 2018 - October 2023)

This document is best viewed in colour.

Drug definitions available in the back.



Ministry of Health

BRITISH COLUMBIA




rovidence

HEALTH CARE

How you want to be treated.

Monthly Report






Monthly Report

in HIV/AIDS

How you want to be treated.

1.13 **Distribution of Participants on Protease Inhibitor** at the time of first start of ARV Therapy by INGREDIENT


(October 2018 - October 2023)



Monthly Report

in HIV/AIDS





BRITISH

COLUMBIA

How you want to be treated.


Monthly Report

in HIV/AIDS

How you want to be treated.


1.15 **Distribution of Participants on Non-Nucleosides** at the time of first start of ARV Therapy by INGREDIENT

(October 2018 - October 2023)



Monthly Report






Monthly Report

1.17 **Distribution of Participants on Entry/Integrase Inhibitors** at the time of first ARV Therapy by INGREDIENT

(October 2018 - October 2023)

This document is best viewed in colour.

Drug definitions available in the back.



Ministry of Health

BRITISH COLUMBIA



HEALTH CARE


How you want to be treated.

Monthly Report

1.18 **Baseline CD4 for Antiretroviral First Starts** (October 2018 - October 2023)

This document is best viewed in colour.

Drug definitions available in the back.




Ministry of Health


BRITISH COLUMBIA

How you want to be treated.



Monthly Report






Monthly Report

in HIV/AIDS

How you want to be treated.



Health

COLUMBIA

1.20 **Cumulative Resistance Testing Results by Resistance Category** (October 2018 - October 2023)

Monthly Report


in HIV/AIDS

How you want to be treated.

COLUMBIA

Health







2.1 Duration of ARV treatment in the Province of BC, 1987-2023 (for HIV+ persons currently on treatment)

Start Year	Duration (years) Median	Male	Female	All	Curr (n)	rent CD4 Median		ent PVL Median	Current ARV Median
1987	32	4	0	4	1	980	3	<40	4
1988	32	4	0	4	1	420	4	<40	4
1989	30	50	1	51	17	520	44	<40	3
1990	29	49	1	50	25	550	48	<40	3
1991	29	36	3	39	16	570	37	<40	3
1992	29	48	5	53	20	605	51	<40	3
1993	28	113	15	128	66	550	120	<40	3
1994	27	65	12	77	39	580	72	<40	3
1995	27	117	19	136	73	530	126	<40	3
1996	25	291	45	336	173	570	311	<40	3
1997	22	261	30	291	149	570	265	<40	3
1998	22	175	40	215	117	570	188	<40	3
1999	22	141	38	179	99	570	158	<40	3
2000	22	112	27	139	80	615	120	<40	3
2001	21	107	25	132	69	620	114	<40	3
2002	20	114	23	137	82	565	128	<40	3
2003	20	134	26	160	103	630	147	<40	3
2004	19	136	37	173	103	630	159	<40	3
2005	18	166	38	204	129	690	190	<40	3
2006	17	162	38	200	108	660	174	<40	3
2007	16	224	44	268	158	665	246	<40	3
2008	15	259	58	317	195	660	283	<40	3
2009	14	288	65	353	201	620	316	<40	3
2010	13	243	66	309	177	680	281	<40	3
2011	12	310	69	379	224	700	335	<40	3
2012	11	257	64	321	185	660	292	<40	3
2013	10	246	63	309	174	685	280	<40	3
2014	9	259	45	304	160	740	271	<40	3
2015	8	255	44	299	165	690	263	<40	3
2016	7	233	50	283	156	680	245	<40	3
2017	6	195	29	224	127	700	195	<40	3
2018	5	170	45	215	125	770	191	<40	3

Definitions:

On treatment defined as being on ARV therapy in the specified month and not reported deceased **Duration** defined as cumulative years on ARV therapy, excluding periods of treatment interruption **Current CD4 and PVL tests** defined as tests done in the last 6 months (most recent) **Current ARV** defined as number of ARV drugs in the current regimen



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







2.1 Duration of ARV treatment in the Province of BC, 1987-2023 (for HIV+ persons currently on treatment)

Start Year	Duration (years) Median	Male	Female	All		ent CD4 Median		ent PVL Median	Current ARV Median
2019	4	219	40	259	162	670	230	<40	3
2020	3	164	52	216	141	730	187	<40	3
2021	2	179	34	213	133	610	196	<40	3
2022	1	253	46	299	194	685	278	<40	3
2023	0	256	57	313	264	550	303	<40	3
Total:		6295	1294	7589					

Definitions:

On treatment defined as being on ARV therapy in the specified month and not reported deceased **Duration** defined as cumulative years on ARV therapy, excluding periods of treatment interruption **Current CD4 and PVL tests** defined as tests done in the last 6 months (most recent) **Current ARV** defined as number of ARV drugs in the current regimen



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program

MON-YYYY	# of patients	Median # of therapy days	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2022	7465	756	1878	<40	1317	650
FEB-2022	7386	774	1803	<40	1263	620
MAR-2022	7458	766	1904	<40	1251	620
APR-2022	7420	778	1755	<40	1153	620
MAY-2022	7477	763	1998	<40	1306	620
JUN-2022	7482	759	1839	<40	1201	630
JUL-2022	7495	754	1761	<40	1141	645
AUG-2022	7492	758	1990	<40	1227	620
SEP-2022	7442	772	1787	<40	1092	636
OCT-2022	7468	778	1849	<40	1164	640
NOV-2022	7502	783	1898	<40	1202	630
DEC-2022	7544	787	1607	<40	1005	640
JAN-2023	7581	793	2051	<40	1318	650
FEB-2023	7521	807	1727	<40	1017	630
MAR-2023	7548	803	1973	<40	1214	640
APR-2023	7553	796	1761	<40	1082	630
MAY-2023	7592	786	1932	<40	1230	650
JUN-2023	7599	787	1841	<40	1091	630
JUL-2023	7577	806	1747	<40	1050	620
AUG-2023	7605	805	1814	<40	1023	630
SEP-2023	7620	796	1775	<40	1049	650
OCT-2023	7621	803	1888	<40	1121	620

Definitions:

Active patient defined as being on ARV treatment in the specified month Therapy days defined as number of consecutive days on ARV treatment (most recent uninterrupted period) PVL and CD4 tests defined as tests done in the specified month









2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program

MON-YYYY	# of patients	Median # days of off therapy	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2022	786	273	55	<40	45	580
FEB-2022	856	232	73	<40	56	635
MAR-2022	800	285	94	<40	73	480
APR-2022	834	278	70	<40	53	550
MAY-2022	758	317	60	<40	43	490
JUN-2022	761	291	61	<40	43	400
JUL-2022	764	283	61	<50	36	447
AUG-2022	787	261	59	78	49	560
SEP-2022	844	209	71	<40	53	460
OCT-2022	822	210	83	<40	62	495
NOV-2022	808	207	80	50	60	505
DEC-2022	773	230	57	<40	45	560
JAN-2023	734	276	63	<40	45	550
FEB-2023	787	230	66	<40	53	550
MAR-2023	756	242	78	<40	56	512
APR-2023	762	218	66	<40	47	560
MAY-2023	728	240	65	<40	48	430
JUN-2023	711	204	57	<40	39	460
JUL-2023	742	186	68	<40	50	565
AUG-2023	741	192	63	<40	39	590
SEP-2023	727	209	55	<40	41	540
OCT-2023	736	215	59	<40	43	600

Definitions:

Inactive patient defined as not deceased, not being on ARV treatment in the specified month (but previously treated with ARVs), and had contact with program in past 5 years

Days off therapy defined as number of days elapsed since last ARV treatment

PVL and CD4 tests defined as tests done in the specified month







Monthly Report

2.4	BC-CfE	Enrolment
-----	--------	-----------

MON-YYYY	Currently on ARV Therapy	Currently off ARV Therapy	Deceased	First Starts	Experienced Starts	New Inactive	Net Change	Cumulative Patients
JAN-2022	7432	786	19	7	161	144	2	14485
FEB-2022	7371	856	8	9	151	211	-61	14510
MAR-2022	7432	800	16	9	232	160	61	14539
APR-2022	7397	834	11	1	156	178	-35	14559
MAY-2022	7450	758	13	13	205	146	53	14583
JUN-2022	7457	761	11	15	178	170	7	14620
JUL-2022	7469	764	10	13	188	176	12	14659
AUG-2022	7468	787	15	17	169	172	-1	14697
SEP-2022	7423	845	13	15	146	192	-46	14725
OCT-2022	7443	822	14	16	195	171	20	14760
NOV-2022	7480	808	9	17	210	177	37	14799
DEC-2022	7511	773	19	8	213	167	31	14826
JAN-2023	7550	734	20	10	192	143	39	14861
FEB-2023	7505	787	10	11	158	204	-45	14885
MAR-2023	7532	756	15	21	197	176	27	14919
APR-2023	7531	762	13	11	176	169	-1	14948
MAY-2023	7575	728	7	15	205	165	44	14992
JUN-2023	7578	711	14	17	168	165	3	15027
JUL-2023	7558	742	11	12	163	181	-20	15058
AUG-2023	7582	741	11	15	215	192	24	15103
SEP-2023	7587	727	14	6	179	162	5	15124
OCT-2023	7589	736	17	10	172	161	2	15154

Definitions:

Currently on ARV Therapy defined as being on ARV treatment in the specified month, and not deceased/moved out of BC

Currently off ARV Therapy defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARVs in the past

Deceased defined as deceased in the specified month, and being on ARV treatment in the previous month

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive)

Experienced Starts defined as starting ARV treatment in the specified month, but previously being treated with ARVs

New Inactive defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARV treatment in the previous month, and had contact with the program in the past 5 years

Net Change is defined as difference between ARV starts (First and Experienced) and ARV stops (Deceased/Moved out of BC and New Inactive)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report

2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs

MON-YYYY	Less than 3 Drugs	3 Drugs	4 Drugs	5 or more Drugs	All ARV	Less than 3 Drugs%	3 Drugs%	4 Drugs%	5 or more Drugs%	Total%
JAN-2022	499	6468	455	43	7465	6.68%	86.64%	6.10%	0.58%	100.00%
FEB-2022	525	6371	445	45	7386	7.11%	86.26%	6.02%	0.61%	100.00%
MAR-2022	550	6408	455	45	7458	7.37%	85.92%	6.10%	0.60%	100.00%
APR-2022	567	6357	450	46	7420	7.64%	85.67%	6.06%	0.62%	100.00%
MAY-2022	597	6381	452	47	7477	7.98%	85.34%	6.05%	0.63%	100.00%
JUN-2022	614	6376	450	42	7482	8.21%	85.22%	6.01%	0.56%	100.00%
JUL-2022	634	6371	445	45	7495	8.46%	85.00%	5.94%	0.60%	100.00%
AUG-2022	643	6364	442	43	7492	8.58%	84.94%	5.90%	0.57%	100.00%
SEP-2022	663	6295	439	45	7442	8.91%	84.59%	5.90%	0.60%	100.00%
OCT-2022	679	6309	439	41	7468	9.09%	84.48%	5.88%	0.55%	100.00%
NOV-2022	696	6318	447	41	7502	9.28%	84.22%	5.96%	0.55%	100.00%
DEC-2022	709	6344	450	41	7544	9.40%	84.09%	5.97%	0.54%	100.00%
JAN-2023	721	6371	445	44	7581	9.51%	84.04%	5.87%	0.58%	100.00%
FEB-2023	735	6318	429	39	7521	9.77%	84.00%	5.70%	0.52%	100.00%
MAR-2023	750	6312	445	41	7548	9.94%	83.62%	5.90%	0.54%	100.00%
APR-2023	765	6307	440	41	7553	10.13%	83.50%	5.83%	0.54%	100.00%
MAY-2023	801	6315	435	41	7592	10.55%	83.18%	5.73%	0.54%	100.00%
JUN-2023	820	6300	438	41	7599	10.79%	82.91%	5.76%	0.54%	100.00%
JUL-2023	844	6253	440	40	7577	11.14%	82.53%	5.81%	0.53%	100.00%
AUG-2023	866	6245	448	46	7605	11.39%	82.12%	5.89%	0.60%	100.00%
SEP-2023	881	6259	434	46	7620	11.56%	82.14%	5.70%	0.60%	100.00%
OCT-2023	900	6248	432	41	7621	11.81%	81.98%	5.67%	0.54%	100.00%

Definitions:

Number of Drugs is calculated as number of individual drugs in ARV Therapy (excluding low dose ritonavir used for boosting a protease inhibitor)







Monthly Report

2.6	Number of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT
-----	---

	lan	ivudine		abacavir			zidovudine				te	nofovi	ir <taf< th=""><th>-></th><th>te</th><th>nofovi</th><th>r <tdf< th=""><th>-></th><th></th><th>emtric</th><th>itabine</th><th>•</th></tdf<></th></taf<>	->	te	nofovi	r <tdf< th=""><th>-></th><th></th><th>emtric</th><th>itabine</th><th>•</th></tdf<>	->		emtric	itabine	•	
	Initial	All	l	Init	tial	All		Init	ial	All		Init	tial	All		Init	ial	All		Init	ial	All	
JAN-2022	3 209	% 3064	42%	3	20%	2480	34%	0	0%	19	0%	12	80%	2922	40%	0	0%	1473	20%	12	80%	4262	58%
FEB-2022	6 249	% 3019	42%	3	12%	2410	33%	2	8%	19	0%	15	60%	2939	41%	4	16%	1395	19%	19	76%	4225	58%
MAR-2022	3 109	% 3034	41%	2	7%	2406	33%	0	0%	19	0%	24	83%	3029	41%	2	7%	1350	18%	26	90%	4272	58%
APR-2022	4 209	% 3019	41%	3	15%	2366	33%	0	0%	19	0%	14	70%	3052	42%	2	10%	1313	18%	16	80%	4250	58%
MAY-2022	4 179	% 3026	41%	3	13%	2354	32%	0	0%	18	0%	17	74%	3145	43%	2	9%	1282	17%	19	83%	4309	59%
JUN-2022	5 149	% 3015	41%	0	0%	2309	31%	0	0%	19	0%	29	81%	3199	44%	4	11%	1237	17%	31	86%	4320	59%
JUL-2022	4 10	% 3007	41%	3	8%	2285	31%	0	0%	19	0%	27	69%	3229	44%	9	23%	1218	17%	35	90%	4343	59%
AUG-2022	5 149	% 2991	41%	4	11%	2261	31%	0	0%	18	0%	29	78%	3271	45%	3	8%	1178	16%	32	86%	4354	59%
SEP-2022	4 14	% 2952	40%	3	11%	2195	30%	0	0%	17	0%	19	68%	3284	45%	5	18%	1173	16%	24	86%	4352	60%
OCT-2022	6 179	6 2950	40%	4	11%	2173	30%	0	0%	16	0%	29	83%	3350	46%	0	0%	1143	16%	29	83%	4388	60%
NOV-2022	7 189	6 2948	40%	5	13%	2158	29%	0	0%	15	0%	26	68%	3387	46%	6	16%	1136	15%	31	82%	4417	60%
DEC-2022	4 159	6 2951	40%	3	11%	2148	29%	1	4%	16	0%	18	67%	3446	47%	5	19%	1109	15%	23	85%	4445	60%
JAN-2023	6 179	6 2971	40%	1	3%	2147	29%	1	3%	16	0%	23	66%	3491	47%	8	23%	1095	15%	29	83%	4465	60%
FEB-2023	3 139	% 2944	40%	1	4%	2097	28%	0	0%	17	0%	18	75%	3502	47%	3	13%	1065	14%	21	88%	4446	60%
MAR-2023	2 6	% 2936	40%	2	6%	2071	28%	0	0%	15	0%	27	79%	3551	48%	5	15%	1051	14%	32	94%	4476	60%
APR-2023	3 10	6 2948	40%	1	3%	2067	28%	0	0%	15	0%	24	83%	3550	48%	3	10%	1030	14%	26	90%	4469	60%
MAY-2023	10 24	6 2940	39%	4	10%	2043	27%	1	2%	16	0%	30	71%	3598	48%	3	7%	1040	14%	32	76%	4513	61%
JUN-2023	4 12	6 2934	39%	1	3%	2008	27%	0	0%	14	0%	26	76%	3655	49%	4	12%	1002	13%	30	88%	4533	61%
JUL-2023	5 169	% 2917	39%	1	3%	1966	26%	0	0%	14	0%	25	81%	3678	49%	2	6%	985	13%	26	84%	4530	61%
AUG-2023	4 99	% 2911	39%	1	2%	1937	26%	0	0%	14	0%	34	76%	3719	50%	9	20%	969	13%	41	91%	4563	61%
SEP-2023	2 10	6 2905	39%	1	5%	1913	26%	0	0%	13	0%	16	76%	3752	50%	3	14%	955	13%	19	90%	4585	61%
OCT-2023	2 79	6 2906	39%	1	3%	1896	25%	0	0%	14	0%	22	73%	3772	50%	6	20%	938	13%	28	93%	4581	61%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report

[fo	sampr	enavir	•		ataza	navir			daru	navir			lopin	avir			ritor	avir			tiprar	navir	
	Initia		All		Init	tial	All		Ini	tial	All		Init	· · ·	All		Initi	al	All		Initi	al	All	
JAN-2022	0	0%	1	0%	0	0%	476	29%	0	0%	1132	68%	0	0%	60	4%	0	0%	1	0%	0	0%	1	0%
FEB-2022	0	0%	1	0%	1	33%	447	28%	1	33%	1110	69%	1	33%	60	4%	0	0%	1	0%	0	0%	1	0%
MAR-2022	0	0%	1	0%	0	0%	430	27%	2	100%	1113	70%	0	0%	57	4%	0	0%	1	0%	0	0%	1	0%
APR-2022	0	0%	1	0%	0	0%	424	27%	0	0%	1085	69%	0	0%	56	4%	0	0%	1	0%	0	0%	1	0%
MAY-2022	0	0%	1	0%	1	33%	417	27%	2	67%	1080	70%	0	0%	53	3%	0	0%	1	0%	0	0%	1	0%
JUN-2022	0	0%	1	0%	0	0%	407	27%	1	100%	1056	70%	0	0%	52	3%	0	0%	1	0%	0	0%	1	0%
JUL-2022	0	0%	1	0%	0	0%	405	27%	1	100%	1039	70%	0	0%	50	3%	0	0%	1	0%	0	0%	1	0%
AUG-2022	0	0%	1	0%	0	0%	385	26%	1	100%	1028	71%	0	0%	45	3%	0	0%	1	0%	0	0%	1	0%
SEP-2022	0	0%	0	0%	0	0%	367	26%	2	100%	1010	71%	0	0%	44	3%	0	0%	1	0%	0	0%	1	0%
OCT-2022	0	0%	0	0%	0	0%	354	25%	0	0%	1002	72%	0	0%	44	3%	0	0%	1	0%	0	0%	1	0%
NOV-2022	0	0%	0	0%	0	0%	352	25%	6	100%	995	72%	0	0%	43	3%	0	0%	1	0%	0	0%	1	0%
DEC-2022	0	0%	0	0%	0	0%	342	25%	1	100%	1008	72%	0	0%	45	3%	0	0%	1	0%	0	0%	1	0%
JAN-2023	0	0%	0	0%	0	0%	339	25%	1	100%	993	72%	0	0%	44	3%	0	0%	1	0%	0	0%	1	0%
FEB-2023	0	0%	0	0%	0	0%	321	24%	0	0%	953	73%	0	0%	43	3%	0	0%	1	0%	0	0%	1	0%
MAR-2023	0	0%	0	0%	0	0%	317	24%	1	100%	952	73%	0	0%	42	3%	0	0%	1	0%	0	0%	1	0%
APR-2023	0	0%	0	0%	0	0%	305	23%	1	100%	957	74%	0	0%	41	3%	0	0%	1	0%	0	0%	1	0%
MAY-2023	0	0%	0	0%	0	0%	304	24%	2	100%	951	74%	0	0%	39	3%	0	0%	1	0%	0	0%	1	0%
JUN-2023	0	0%	0	0%	0	0%	295	23%	0	0%	936	74%	0	0%	39	3%	0	0%	1	0%	0	0%	1	0%
JUL-2023	0	0%	0	0%	0	0%	283	23%	3	100%	927	74%	0	0%	38	3%	0	0%	1	0%	0	0%	1	0%
AUG-2023	0	0%	0	0%	0	0%	276	23%	3	100%	914	75%	0	0%	37	3%	0	0%	0	0%	0	0%	0	0%
SEP-2023	0	0%	0	0%	1	100%	272	22%	0	0%	911	75%	0	0%	36	3%	0	0%	0	0%	0	0%	0	0%
OCT-2023	0	0%	0	0%	0	0%	273	23%	1	100%	892	75%	0	0%	35	3%	0	0%	0	0%	0	0%	0	0%

2.7 Number of Participants on Protease Inhibitor by INGREDIENT

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS

Ritonavir - greater than 400 mg total daily dose



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report

	doravirine Initial All					efav	irenz			etrav	virine			nevira	apine			rilpiv	irine	
	Init	ial	All		Init	tial	All		Initi	al	All		Ini	tial	All		Init	ial	All	
JAN-2022	0	0%	103	9%	0	0%	328	30%	0	0%	130	12%	0	0%	317	29%	0	0%	235	21%
FEB-2022	0	0%	106	10%	0	0%	317	29%	0	0%	127	12%	0	0%	306	28%	1	100%	228	21%
MAR-2022	0	0%	113	11%	1	100%	303	28%	0	0%	132	12%	0	0%	301	28%	0	0%	222	21%
APR-2022	1	50%	124	12%	1	50%	301	28%	0	0%	130	12%	0	0%	297	28%	0	0%	223	21%
MAY-2022	0	0%	136	13%	0	0%	287	27%	0	0%	128	12%	0	0%	290	27%	1	100%	220	21%
JUN-2022	1	33%	149	14%	1	33%	284	27%	0	0%	122	12%	0	0%	285	27%	1	33%	211	20%
JUL-2022	0	0%	155	15%	1	33%	280	27%	0	0%	117	11%	0	0%	280	27%	2	67%	207	20%
AUG-2022	0	0%	157	15%	1	33%	275	27%	0	0%	119	12%	0	0%	274	27%	2	67%	204	20%
SEP-2022	0	0%	167	16%	3	100%	271	27%	0	0%	110	11%	0	0%	273	27%	0	0%	200	20%
OCT-2022	0	0%	173	17%	0	0%	261	26%	0	0%	105	10%	0	0%	269	27%	0	0%	196	20%
NOV-2022	1	33%	182	18%	2	67%	261	26%	0	0%	108	11%	0	0%	269	27%	0	0%	197	19%
DEC-2022	0	0%	185	18%	1	25%	254	25%	0	0%	107	11%	1	25%	262	26%	2	50%	195	19%
JAN-2023	3	43%	192	19%	4	57%	247	25%	0	0%	107	11%	0	0%	255	26%	0	0%	191	19%
FEB-2023	0	0%	202	20%	0	0%	250	25%	0	0%	98	10%	0	0%	249	25%	0	0%	190	19%
MAR-2023	0	0%	209	21%	0	0%	242	25%	0	0%	101	10%	0	0%	246	25%	0	0%	186	19%
APR-2023	1	50%	215	22%	1	50%	232	24%	0	0%	96	10%	0	0%	245	25%	0	0%	187	19%
MAY-2023	1	33%	223	23%	0	0%	232	24%	0	0%	98	10%	0	0%	239	24%	2	67%	187	19%
JUN-2023	0	0%	224	23%	3	75%	228	24%	0	0%	96	10%	0	0%	230	24%	1	25%	180	19%
JUL-2023	0	0%	235	25%	1	100%	222	23%	0	0%	94	10%	0	0%	225	24%	0	0%	178	19%
AUG-2023	0	0%	238	25%	2	100%	222	23%	0	0%	92	10%	0	0%	223	23%	0	0%	182	19%
SEP-2023	0	0%	236	25%	0	0%	218	23%	0	0%	89	9%	1	100%	220	23%	0	0%	177	19%
OCT-2023	0	0%	239	26%	2	100%	217	23%	0	0%	89	10%	0	0%	220	24%	0	0%	173	19%

2.8 Number of Participants on Non-Nucleosides by INGREDIENT

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS

Doravirine not currently available on BC-CfE Formulary



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





Monthly Report

2.9	Number of Participants on Entry/Integrase Inhibitors by INGREDIENT
-----	--

[bicte	cabotegravir				dolutegravir				elvitegravir				fostemsavir				maraviroc				raltegravir				
	Initial	All	Initia	al	All		Init	ial	All		Initi	al	All		Initi	al	All		Initi	al	All		Initi	al	All	
JAN-2022	11 73%	2421 43%	0	0%	0	0%	2	13%	2468	44%	1	7%	347	6%	0	0%	1	0%	0	0%	24	0%	1	7%	374	7%
FEB-2022	15 71%	2443 44%	0	0%	0	0%	6	29%	2437	44%	0	0%	331	6%	0	0%	1	0%	0	0%	21	0%	0	0%	369	7%
MAR-2022	23 85%	2536 45%	0	0%	0	0%	3	11%	2460	43%	1	4%	324	6%	0	0%	1	0%	0	0%	21	0%	0	0%	370	7%
APR-2022	14 74%	2574 45%	0	0%	0	0%	5	26%	2436	43%	0	0%	312	5%	0	0%	1	0%	0	0%	20	0%	0	0%	366	6%
MAY-2022	17 77%	2666 46%	0	0%	0	0%	5	23%	2455	43%	0	0%	309	5%	0	0%	1	0%	0	0%	22	0%	0	0%	360	6%
JUN-2022	29 85%	2710 47%	0	0%	0	0%	5	15%	2454	42%	0	0%	300	5%	0	0%	1	0%	0	0%	22	0%	0	0%	352	6%
JUL-2022	24 69%	2745 47%	0	0%	0	0%	7	20%	2452	42%	3	9%	297	5%	0	0%	1	0%	0	0%	22	0%	1	3%	342	6%
AUG-2022	26 76%	2790 48%	0	0%	0	0%	6	18%	2452	42%	1	3%	294	5%	0	0%	1	0%	1	3%	22	0%	1	3%	340	6%
SEP-2022	19 76%	2820 48%	0	0%	0	0%	6	24%	2433	42%	0	0%	281	5%	0	0%	1	0%	0	0%	21	0%	0	0%	323	6%
OCT-2022	28 80%	2889 49%	0	0%	0	0%	6	17%	2440	41%	1	3%	280	5%	0	0%	1	0%	0	0%	22	0%	0	0%	314	5%
NOV-2022	24 73%	2920 49%	0	0%	0	0%	8	24%	2462	41%	1	3%	276	5%	0	0%	2	0%	0	0%	22	0%	0	0%	309	5%
DEC-2022	16 70%	2974 50%	0	0%	0	0%	5	22%	2464	41%	1	4%	270	4%	0	0%	2	0%	0	0%	20	0%	1	4%	307	5%
JAN-2023	23 82%	3016 50%	0	0%	0	0%	5	18%	2492	41%	0	0%	269	4%	0	0%	2	0%	0	0%	21	0%	0	0%	302	5%
FEB-2023	18 75%	3040 50%	0	0%	0	0%	6	25%	2476	41%	0	0%	255	4%	0	0%	2	0%	0	0%	21	0%	0	0%	288	5%
MAR-2023	25 74%	3084 51%	0	0%	0	0%	5	15%	2482	41%	2	6%	259	4%	0	0%	2	0%	0	0%	20	0%	2	6%	291	5%
APR-2023	22 81%	3084 50%	0	0%	0	0%	4	15%	2498	41%	1	4%	258	4%	0	0%	2	0%	0	0%	18	0%	0	0%	274	4%
MAY-2023	28 67%	3138 51%	1	2%	3	0%	12	29%	2504	41%	1	2%	250	4%	0	0%	2	0%	0	0%	18	0%	0	0%	278	5%
JUN-2023	26 81%	3197 51%	0	0%	5	0%	6	19%	2509	40%	0	0%	248	4%	0	0%	2	0%	0	0%	18	0%	0	0%	267	4%
JUL-2023	25 83%	3218 52%	0	0%	5	0%	5	17%	2499	40%	0	0%	247	4%	0	0%	2	0%	0	0%	18	0%	0	0%	256	4%
AUG-2023	33 79%	3260 52%	0	0%	7	0%	6	14%	2497	40%	1	2%	245	4%	0	0%	2	0%	0	0%	18	0%	2	5%	254	4%
SEP-2023	15 75%	3294 52%	0	0%	8	0%	5	25%	2504	40%	0	0%	238	4%	0	0%	2	0%	0	0%	18	0%	0	0%	250	4%
OCT-2023	22 79%	3304 52%	0	0%	7	0%	6	21%	2527	40%	0	0%	241	4%	0	0%	2	0%	0	0%	18	0%	0	0%	248	4%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS

Fostemsavir not currently on BC-CfE Formulary



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Category

	+ 2 N	sted PI (t)RTIs	+ 2 N	NNRTI (t)RTIs		INSTI (t)RTIs	2 0	s from lasses	_	lasses		Other
MON-YYYY	n	%	n	%	n	%	n	%	n	%	n	%
JAN-2022	985	13.19	773	10.35	4452	59.64	496	6.64	674	9.03	85	1.14
FEB-2022	958	12.97	750	10.15	4409	59.69	522	7.07	668	9.04	79	1.07
MAR-2022	934	12.52	737	9.88	4482	60.10	548	7.35	674	9.04	83	1.11
APR-2022	908	12.24	725	9.77	4473	60.28	565	7.61	670	9.03	79	1.06
MAY-2022	898	12.01	709	9.48	4527	60.55	595	7.96	669	8.95	79	1.06
JUN-2022	873	11.67	705	9.42	4558	60.92	612	8.18	659	8.81	75	1.00
JUL-2022	857	11.43	698	9.31	4578	61.08	632	8.43	655	8.74	75	1.00
AUG-2022	827	11.04	691	9.22	4610	61.53	641	8.56	649	8.66	74	0.99
SEP-2022	799	10.74	691	9.29	4575	61.48	662	8.90	642	8.63	73	0.98
OCT-2022	788	10.55	673	9.01	4620	61.86	678	9.08	637	8.53	72	0.96
NOV-2022	770	10.26	682	9.09	4639	61.84	694	9.25	646	8.61	71	0.95
DEC-2022	774	10.26	663	8.79	4680	62.04	706	9.36	651	8.63	70	0.93
JAN-2023	750	9.89	665	8.77	4728	62.37	718	9.47	649	8.56	71	0.94
FEB-2023	715	9.51	665	8.84	4712	62.65	733	9.75	626	8.32	70	0.93
MAR-2023	699	9.26	653	8.65	4735	62.73	748	9.91	644	8.53	69	0.91
APR-2023	704	9.32	653	8.65	4736	62.70	762	10.09	634	8.39	64	0.85
MAY-2023	707	9.31	644	8.48	4752	62.59	799	10.52	627	8.26	63	0.83
JUN-2023	676	8.90	625	8.22	4788	63.01	818	10.76	627	8.25	65	0.86
JUL-2023	662	8.74	626	8.26	4758	62.80	842	11.11	628	8.29	61	0.81
AUG-2023	643	8.45	621	8.17	4777	62.81	864	11.36	633	8.32	67	0.88
SEP-2023	640	8.40	616	8.08	4800	62.99	879	11.54	620	8.14	65	0.85
OCT-2023	613	8.04	613	8.04	4819	63.23	897	11.77	617	8.10	62	0.81

Definitions:

n is number of participants on the specified regimen class in the specified month
 % is ratio of n and total number of participants on ART in the specified month
 Regimen categories may contain a small number of participants with undetermined regimen, due to medication change(s) within the month



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





2.11 Baseline CD4 for Antiretroviral First Starts

MON-YYYY	# of First Starts	# of Pts with CD4 < 100	# of Pts with CD4: 100-199	# of Pts with CD4: 200-349	# of Pts with CD4: 350-500	# of Pts with CD4 > 500	Median CD4
JAN-2022	7	1	0	1	1	3	490
FEB-2022	9	0	1	0	1	5	530
MAR-2022	9	4	1	1	1	2	150
APR-2022	1	0	0	0	0	1	820
MAY-2022	13	4	1	1	1	6	490
JUN-2022	15	1	4	1	4	4	400
JUL-2022	13	1	4	3	2	2	225
AUG-2022	17	1	3	3	2	5	330
SEP-2022	15	1	0	3	6	4	405
OCT-2022	16	0	0	1	5	9	520
NOV-2022	17	1	2	2	5	6	445
DEC-2022	8	1	1	2	0	1	320
JAN-2023	10	2	2	2	2	2	285
FEB-2023	11	2	2	3	1	3	253
MAR-2023	21	0	0	4	3	11	530
APR-2023	11	1	3	1	1	4	325
MAY-2023	15	2	1	2	5	2	374
JUN-2023	17	2	4	3	2	6	340
JUL-2023	12	1	2	4	2	3	265
AUG-2023	15	2	1	4	2	3	258
SEP-2023	6	1	1	0	0	3	616
OCT-2023	10	0	1	3	2	3	390

Definitions:

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive) **Baseline CD4** is defined as most recent CD4 test before ARV start







2.12 DTP Participants with PVL Measurement within previous five years, and never on ART

MON-YYYY	# of Participants with PVL test	# of Partcipants with PVL test, and never on ART	
JAN-2022	12277	3734	
FEB-2022	12300	3748	
MAR-2022	12328	3763	
APR-2022	12357	3788	
MAY-2022	12348	3777	
JUN-2022	12363	3779	
JUL-2022	12389	3788	
AUG-2022	12410	3800	
SEP-2022	12429	3809	
OCT-2022	12455	3829	
NOV-2022	12463	3819	
DEC-2022	12440	3801	
JAN-2023	12448	3803	
FEB-2023	12436	3788	
MAR-2023	12443	3787	
APR-2023	12418	3753	
MAY-2023	12426	3731	
JUN-2023	12399	3693	
JUL-2023	12426	3716	
AUG-2023	12423	3698	
SEP-2023	12410	3685	
OCT-2023	12395	3662	

Definitions:

Patients with PVL test are defined as having at leat one PVL test within previous five years, and not reported deceased/moved Never on ART are subset of patients with PVL test, and not being treated with ARVs on or before specified month










Distribution of HIV/AIDS Drug Treatment Program Active Participants Oct-2023 3.1 N = 7621



ALTH CARE

How you want to be treated.


in HIV/AIDS

BRITISH COLUMBIA

Ministry of Health

3.2 Distribution of HIV/AIDS Drug Treatment Program Active Participant Oct-2023

INTERIOR HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA




BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





- 3.3 Distribution of HIV/AIDS Drug Treatment Program Active Participant Oct-2023
 - FRASER HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA





BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS



V4A



V4B

V4P


South Surrey/

White Rock 202

> This document is best viewed in colour. Drug definitions available in the back.


50 - 99 100+ 3.4 Distribution of HIV/AIDS Drug Treatment Program Active Participant Oct-2023

VANCOUVER COASTAL HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



3.5 Distribution of HIV/AIDS Drug Treatment Program Active Participant Oct-2023

VANCOUVER ISLAND HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA




CENTRE for EXCELLENCE in HIV/AIDS





HIV/AIDS Drug Treatment Program Monthly Report

3.6 Distribution of HIV/AIDS Drug Treatment Program Active Participant Oct-2023



NORTHERN HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA

BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.1 Distribution of Participants in BC-CfE Registries by Age and Sex at Birth INTERIOR Health Authority

HSDA		Alive	Ever treated with ARVs	Currently
EAST		Alive		
KOOTENAY		*	*	*
			*	*
KOOTENAY			6U *	
BOUNDARY		*	*	*
		*	*	*
		*	*	*
			400	
OKANAGAN			102	55
UKANAGAN		*	*	*
		*	*	*
			*	s treated with ARVs * * 26 * 26 * * 55 55 * * * * 3331 * * * 3331 * * * * * 173 585 Currently s treated with ARVs * * * * * * * * * * * * *
			606	
THOMPSON/CARIBOO/ SHUSWAP			*	*
SHOSWAI	20-34 * <td>*</td>	*		
			*	*
	35-49 * * * 50+ * * *			
Total HA:	Total HSDA:			
		803		
				treated with ARVs
			*	*
			^ +	^ +
			*	⊥
T - 4 - 1 11A -	50+		-	
Total HA:		803		
Sex at Birth				
Female				
Male		641	869	464
Currently treated with AR	Vs	# of patients	Med Age	Med CD4 Med PVL
Total HA:		585	56	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration INTERIOR Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
EAST	10 years or more	24	14
KOOTENAY	5 years or more	14	7
	<5 years	6	5
	Total HSDA:	44	26
KOOTENAY	10 years or more	48	34
BOUNDARY	5 years or more	13	10
	<5 years	12	11
	Total HSDA:	73	55
OKANAGAN	10 years or more	281	205
	5 years or more	93	66
	<5 years	73	60
	Total HSDA:	447	331
THOMPSON/CARIBOO/	10 years or more	147	107
SHUSWAP	5 years or more	46	30
	<5 years	46	36
	Total HSDA:	239	173
Total HA:		803	585
	Treatment		Currently
	Duration	Alive	treated with ARVs
	10 years or more	500	360
	5 years or more	166	113
OUNDARY KANAGAN HOMPSON/CARIBOO/ HUSWAP	<5 years	137	112
Total HA:		803	585

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







4.3 Distribution of ARV Prescribers in BC-CfE Registries INTERIOR Health Authority

HSDA of Prescriber Residency	# of Prescribers ever prescribed ARVs	# of Patients ever treated by Prescribers	# of Prescribers currently prescribing ARVs	# of Patients currently treated by Prescribers
EAST KOOTENAY	53	71	11	16
KOOTENAY BOUNDARY	76	138	19	42
OKANAGAN	241	1102	54	336
THOMPSON/CARIBOO/SHUSWAR	P 150	574	36	144
Total:	520	1885	120	538

	# of Patients	
HSDA of	seeking Prescriber's care	
Patient Residency	out of HA	
EAST KOOTENAY	13	
KOOTENAY BOUNDARY	11	
OKANAGAN	72	
THOMPSON/CARIBOO/SHU	SWAP 50	
Total:	146	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months # of Patients seeking Prescriber out of HA is defined as patients residing in specified HSDA, but their follow-up prescriber(s) reside in another HA



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.4 Distribution of Participants in BC-CfE Registries by Age and Sex at Birth FRASER Health Authority

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs	
FRASER EAST	0-19	7	7	6	
	20-34	38	40	31	
	35-49	101	104	68	
	50+	270	377	205	
	Total HSDA:	416	528	310	
FRASER NORTH	20-34	140	141	101	
	35-49	366	393	283	
	50+	644	1029	486	
	Total HSDA:	1150	1563	870	
FRASER SOUTH	0-19	7	7	5	
	20-34	119	121	87	
	35-49	310	338	242	
	50+	630	966	494	
	Total HSDA:	1066	1432	828	
Total HA:		2632	3523	2008	
			Ever	Currently	
	Age Group	Alive	treated with ARVs	treated with ARVs	
	0-19	14	14	11	
	20-34	297	302	219	
	35-49	777	835	593	
	50+	1544	2372	1185	
Total HA:		2632	3523	2008	
			Ever	Currently	
Sex at Birth		Alive	treated with ARVs	treated with ARVs	
Female		639	817	474	
Male		1993	2706	1534	
Currently treated with AR	Vs	# of patients	Med Age	Med CD4 Med P	/L
Total HA:		2008	53	655 <40)

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration FRASER Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
FRASER EAST	10 years or more	281	216
	5 years or more	67	41
	<5 years	68	53
	Total HSDA:	416	310
FRASER NORTH	10 years or more	721	525
	5 years or more	235	183
	<5 years	194	162
	Total HSDA:	1150	870
FRASER SOUTH	10 years or more	650	498
	5 years or more	215	160
	<5 years	201	170
	Total HSDA:	1066	828
Total HA:		2632	2008
	Treatment		Currently
	Duration	Alive	treated with ARVs
	10 years or more	1652	1239
	5 years or more	517	384
	<5 years	463	385
Total HA:	-	2632	2008

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation









4.6 Distribution of ARV Prescribers in BC-CfE Registries FRASER Health Authority

HSDA of Prescriber Residency	# of Prescribers ever prescribed ARVs	# of Patients ever treated by Prescribers	# of Prescribers currently prescribing ARVs	# of Patients currently treated by Prescribers
FRASER EAST	150	546	33	64
FRASER NORTH	262	1638	43	221
FRASER SOUTH	227	1829	45	491
Total:	639	4013	121	776

HSDA of Patient Residency	# of Patients seeking Prescriber's care out of HA	
FRASER EAST	206	
FRASER NORTH	708	
FRASER SOUTH	482	
Total:	1396	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Prescriber out of HA is defined as patients residing in specified HSDA, but their follow-up prescriber(s) reside in another HA



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.7 Distribution of Participants in BC-CfE Registries by Age and Sex at Birth VANCOUVER COASTAL Health Authority

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs	
NORTH SHORE/	0-19	*	*	*	
COAST GARIBALDI	20-34	*	*	*	
	35-49	*	*	*	
	50+	*	*	*	
	Total HSDA:	355	529	275	
RICHMOND	20-34	30	31	20	
	35-49	56	57	45	
	50+	124	181	102	
	Total HSDA:	210	269	167	
VANCOUVER	0-19	12	12	10	
	20-34	449	463	300	
	35-49	1223	1365	880	
	50+	2999	5381	2141	
	Total HSDA:	4683	7221	3331	
Total HA:		5248	8019	3773	
			Ever	Currently	
	Age Group	Alive	treated with ARVs	treated with ARVs	
	0-19	13	13	11	
	20-34	507	522	336	
	35-49	1351	1501	980	
	50+	3377	5983	2446	
Total HA:		5248	8019	3773	
			Ever	Currently	
Sex at Birth		Alive	treated with ARVs	treated with ARVs	
Female		595	974	453	
Male		4651	7043	3320	
Unknown		2	2	0	
Currently treated with AR	Vs	# of patients	Med Age	Med CD4 Med PV	L
Total HA:		3773	56	656 <40	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration VANCOUVER COASTAL Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
NORTH SHORE/	10 years or more	246	189
COAST GARIBALDI	5 years or more	52	45
	<5 years	57	41
	Total HSDA:	355	275
RICHMOND	10 years or more	124	97
	5 years or more	36	26
	<5 years	50	44
	Total HSDA:	210	167
VANCOUVER	10 years or more	3301	2282
	5 years or more	767	545
	<5 years	615	504
	Total HSDA:	4683	3331
Total HA:		5248	3773
	Treatment		Currently
	Duration	Alive	treated with ARVs
	10 years or more	3671	2568
	5 years or more	855	616
	<5 years	722	589
Total HA:		5248	3773

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation









4.9 Distribution of ARV Prescribers in BC-CfE Registries VANCOUVER COASTAL Health Authority

HSDA of Prescriber Residency	# of Prescribers ever prescribed ARVs	# of Patients ever treated by Prescribers	# of Prescribers currently prescribing ARVs	# of Patients currently treated by Prescribers
NORTH SHORE/COAST GARIBAL	DI 189	415	37	50
RICHMOND	46	319	8	98
VANCOUVER	698	11810	229	5475
Total:	933	12544	274	5623

HSDA of Patient Residency	# of Patients seeking Prescriber's care out of HA	
NORTH SHORE/COAST GARII	BALDI *	
RICHMOND	*	
VANCOUVER	*	
Total:	66	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months **# of Patients seeking Prescriber out of HA** is defined as patients residing in specified HSDA, but their follow-up prescriber(s) reside in another HA



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.10 Distribution of Participants in BC-CfE Registries by Age and Sex at Birth VANCOUVER ISLAND Health Authority

			Ever	Currently	
HSDA	Age Group	Alive	treated with ARVs	treated with ARVs	
CENTRAL	0-19	*	*	*	
VANCOUVER	20-34	*	*	*	
ISLAND	35-49	*	*	*	
	50+	*	*	*	
	Total HSDA:	357	525	284	
NORTH	0-19	*	*	*	
VANCOUVER	20-34	*	*	*	
ISLAND	35-49	*	*	*	
	50+	*	*	*	
	Total HSDA:	130	183	102	
SOUTH	0-19	*	*	*	
VANCOUVER	20-34	*	*	*	
ISLAND	35-49	*	*	*	
	50+	*	*	*	
	Total HSDA:	818	1174	613	
Total HA:	•	1305	1882	999	
			Ever	Currently	
	Age Group	Alive	treated with ARVs	treated with ARVs	
	0-19	6	6	6	
	20-34	108	117	69	
	35-49	307	348	238	
	50+	884	1411	686	
Total HA:		1305	1882	999	
			Ever	Currently	
Sex at Birth		Alive	treated with ARVs	treated with ARVs	
Female		219	321	168	
i cinaic		210			
Male		1086	1561	831	
	Vs	-		831 Med CD4 Med PV	Ĺ

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration VANCOUVER ISLAND Health Authority

HSDA	Treatment Duration	Alive	Currently treated with ARVs
CENTRAL	10 years or more	227	185
VANCOUVER	5 years or more	69	47
ISLAND	<5 years	61	52
	Total HSDA:	357	284
NORTH	10 years or more	95	73
VANCOUVER	5 years or more	23	19
ISLAND	<5 years	12	10
	Total HSDA:	130	102
SOUTH	10 years or more	508	372
VANCOUVER	5 years or more	161	122
ISLAND	<5 years	149	119
	Total HSDA:	818	613
Total HA:		1305	999
	Treatment		Currently
	Duration	Alive	treated with ARVs
	10 years or more	830	630
	5 years or more	253	188
	<5 years	222	181
Total HA:		1305	999

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation









4.12 Distribution of ARV Prescribers in BC-CfE Registries VANCOUVER ISLAND Health Authority

HSDA of Prescriber Residency	# of Prescribers ever prescribed ARVs	# of Patients ever treated by Prescribers	# of Prescribers currently prescribing ARVs	# of Patients currently treated by Prescribers
CENTRAL VANCOUVER ISLAND	205	936	68	173
NORTH VANCOUVER ISLAND	161	286	39	71
SOUTH VANCOUVER ISLAND	228	1962	39	589
Total:	594	3184	146	833

HSDA of	# of Patients seeking Prescriber's care	
Patient Residency	out of HA	
CENTRAL VANCOUVER ISL	AND 107	
NORTH VANCOUVER ISLAN	ID 46	
SOUTH VANCOUVER ISLAN	D 124	
Total:	277	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Prescriber out of HA is defined as patients residing in specified HSDA, but their follow-up prescriber(s) reside in another HA



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





4.13 Distribution of Participants in BC-CfE Registries by Age and Sex at Birth NORTHERN Health Authority

			Ever	Currently
HSDA	Age Group	Alive	treated with ARVs	treated with ARVs
NORTH EAST	20-34	8	8	*
	35-49	17	20	*
	50+	30	39	*
	Total HSDA:	55	67	31
NORTH WEST	20-34	*	5	*
	35-49	*	38	*
	50+	*	80	*
	Total HSDA:	75	123	55
NORTHERN INTERIOR	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	199	299	145
Total HA:		329	489	231
			Ever	Currently
	Age Group	Alive	treated with ARVs	treated with ARVs
	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
Total HA:		329	489	231
		020		
			Ever	Currently
Sex at Birth		Alive		Currently treated with ARVs
			Ever	
Sex at Birth		Alive	Ever treated with ARVs	treated with ARVs
Sex at Birth Female	Vs	Alive 114	Ever treated with ARVs 175	treated with ARVs 79

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)









4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration NORTHERN Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
NORTH EAST	10 years or more	31	*
	5 years or more	6	*
	<5 years	18	*
	Total HSDA:	55	31
NORTH WEST	10 years or more	53	37
	5 years or more	10	8
	<5 years	12	10
	Total HSDA:	75	55
NORTHERN INTERIOR	10 years or more	110	82
	5 years or more	53	36
	<5 years	36	27
	Total HSDA:	199	145
Total HA:		329	231
	Treatment		Currently
	Duration	Alive	treated with ARVs
	10 years or more	194	133
	5 years or more	69	46
	<5 years	66	52
Total HA:		329	231

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation









4.15 Distribution of ARV Prescribers in BC-CfE Registries NORTHERN Health Authority

HSDA of Prescriber Residency	# of Prescribers ever prescribed ARVs	# of Patients ever treated by Prescribers	# of Prescribers currently prescribing ARVs	# of Patients currently treated by Prescribers
NORTH EAST	39	51	6	8
NORTH WEST	88	188	15	43
NORTHERN INTERIOR	123	506	22	192
Total:	250	745	43	243

HSDA of Patient Residency	# of Patients seeking Prescriber's care out of HA	
NORTH EAST	7	
NORTH WEST	21	
NORTHERN INTERIOR	15	
Total:	43	

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Prescriber out of HA is defined as patients residing in specified HSDA, but their follow-up prescriber(s) reside in another HA



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





	1102.4	A 11	Ever	Currently
HA	HSDA	Alive	treated with ARVs	treated with ARVs
INTERIOR	EAST KOOTENAY	*	10	*
	KOOTENAY BOUNDARY	*	9	*
	OKANAGAN	*	51	*
	THOMPSON/CARIBOO/SHUSWAP	*	53	*
	Total HA:	68	123	50
FRASER	FRASER EAST	36	52	28
	FRASER NORTH	51	94	39
	FRASER SOUTH	80	118	53
	Total HA:	167	264	120
VANCOUVER	NORTH SHORE/COAST GARIBALDI	27	54	26
COASTAL	RICHMOND	6	11	5
	VANCOUVER	447	912	371
	Total HA:	480	977	402
VANCOUVER	CENTRAL VANCOUVER ISLAND	48	83	39
ISLAND	NORTH VANCOUVER ISLAND	15	29	10
	SOUTH VANCOUVER ISLAND	49	97	37
	Total HA:	112	209	86
NORTHERN	NORTH EAST	11	15	6
	NORTH WEST	34	70	25
	NORTHERN INTERIOR	71	119	54
	Total HA:	116	204	85
Total:		943	1777	743

4.16 Distribution of Indigenous Participants in BC-CfE Registries by Health Service Delivery Area and Sex at Birth

Sex at Birth	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	602	1143	460
Female	341	634	283
Currently treated with ARVs	# of patients	Med Age	Med CD4 Med PVL
Total:	743	54	530 <40

* Patient numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS





5.1 Drug Names and Definitions

Abacavir: a NUCLEOSIDE ANALOG from ViiV Healthcare.

Active: persons in the HIV/AIDS Drug Treatment program that are prescribed one or more drugs in this current month

Antiretroviral: a substance that stops or suppresses the activity of a retrovirus, such as HIV. NUCLEOSIDE ANALOGS and PROTEASE INHIBITORS are examples of antiretroviral drugs.

Atazanavir (Reyataz): a PROTEASE INHIBITOR from Bristol-Myers Squibb.

Atovaquone (Mepron): a medication used to treat pneumocystis carinii pneumonia and, in some cases, toxoplasmosis.

Atripla: the Bristol-Myers Squibb and Gilead trade name for a tablet containing EFAVIRENZ, TENOFOVIR DF and EMTRICITABINE.

Azithromycin (Zithromax): an antibiotic used for the prevention of mycobacterium avium complex (MAC) in people with advanced HIV infection.

Bictegravir: an INTEGRASE INHIBITOR from Gilead Sciences.

Boosted PI: a PI and a small (400 mg or less, total daily dose) additional dose or RITONAVIR. The addition of RITONAVIR inhibits metabolism of other PIs and improves their exposure. This may allow for decreased dosing frequency or pill burden and may improve adherence and antiretroviral activity.

Cabenuva: the ViiV Healthcare trade name for a injectable formulation containing CABOTEGRAVIR and RILPIVIRINE.

Cabotegravir: an INTEGRASE INHIBITOR.

CD4 Cell Count: the most commonly used marker for assessing the state of the immune system. As CD4 cell count declines, the risk of developing opportunistic infections increases. Normal CD4 cell counts are greater than 800 per cubic millimeter of blood.

Chemokine Receptor Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV entry by blocking the binding site of co-receptors, such as CCR5 or CXCR4.

Clarithromycin (Biaxin): an antibiotic used for the treatment of mycobacterium avium complex (MAC). It is also used for preventing MAC in those with advanced HIV infection.

Cobicistat: a pharmacokinetic enhancer ("booster") given with other antiretrovirals to improve drug exposure. Cobistat has no anti-HIV activity. It is currently available as a component of STRIBILD, GENVOYA and PREZCOBIX.

Combination Therapy: initial combination therapy for HIV contains at least three ANTIRETROVIRALS.

Complera: the Gilead trade name for a tablet containing EMTRICITABINE, RILPIVIRINE and TENOFOVIR DF.

Darunavir (Prezista): a PROTEASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

Deceased: persons enrolled in the HIV/AIDS Drug Treatment program that died in this time period.

Descovy: the Gilead trade name for a tablet containing EMTRICITABINE and TENOFOVIR AF.









Didanosine (Videx): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Dolutegravir (Tivicay): an INTEGRASE INHIBITOR from ViiV Healthcare.

Doravirine: a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Merck.

Efavirenz (Sustiva, Auro efavirenz): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Bristol-Myers Squibb.

Elvitegravir: an INTEGRASE INHIBITOR from Gilead Sciences. It is currently available as a component of STRIBILD.

Emtricitabine: a NUCLEOSIDE ANALOG from Gilead Sciences. It its currently available as a component of TRUVADA and other combinations.

Enfuvirtide (Fuzeon): a FUSION INHIBITOR from Hoffman-La Roche that targets the gp41 protein on the surface of HIV. It is administered as a subcutaneous injection.

Entry Inhibitor: a drug that inhibits the entry of HIV into cells. Entry inhibitors include FUSION INHIBITORS, CHEMOKINE RECEPTOR INHIBITORS, and attachment inhibitors.

Etravirine (Intelence): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

First started program: a person prescribed their first regimen ever in the HIV/AIDS drug treatment program.

Fosamprenavir (Telzir): a PROTEASE INHIBITOR from ViiV Healthcare. Fosamprenavir is a PRODRUG of AMPRENAVIR.

Fostemsavir: an ATTACHMENT INHIBITOR from ViiV Healthcare. Fostemsavir is a PRODRUG of TEMSAVIR.

Fusion Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV from fusing with and thereby infecting CD4 cells.

Genvoya: the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICSTAT, EMTRICITABINE and TENOFOVIR AF.

Health Authority: refers to the five (Interior, Fraser, Northern, Vancouver Coastal, Vancouver Island) health authorities created by the BC Ministry of Health.

Inactive: persons no longer dispensed drugs through the HIV/AIDS Drug Treatment program this current month.

Integrase Inhibitor: a drug that blocks integrase, a protein that HIV needs to enter cells and produce copies of itself, from working.

Kivexa: the ViiV Healthcare's trade name for a tablet containing both ABACAVIR and LAMIVUDINE.

Lamivudine: a NUCLEOSIDE ANALOG from ViiV Healthcare with activity against HIV and hepatitis B.

Lopinavir (Kaletra): a PROTEASE INHIBITOR from Abbott Laboratories. Kaletra is a combination of lopinavir and a low dose of RITONAVIR, a drug that improves blood levels of lopinavir.

Maraviroc (Celsentri): a CHEMOKINE RECEPTOR INHIBITOR from ViiV Healthcare that inhibits HIV entry by blocking the binding site of the CCR5 co-receptor.

Median (MED) age: median age of participants in the HIV/AIDS Drug Treatment program in that time period.









Monthly Report

MDRT: see MULTIPLE DRUG RESCUE THERAPY

Moved out of BC: a person in the HIV/AIDS Drug Treatment program that is no longer in the program, because they moved out of BC in this time period.

Multiple Drug Rescue Therapy (MDRT or Mega-HAART): the use of five or more antiretrovirals to treat HIV, typically some or all of which have been used previously by the individual.

Nelfinavir (Viracept): a PROTEASE INHIBITOR from ViiV Healthcare.

Net change: the net increase or decrease in persons enrolled in the HIV/AIDS Drug Treatment Program from the previous time period.

Nevirapine (Viramune): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Boehringer Ingelheim.

NNRTI: see NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR.

NNRTI / no PI: a combination therapy regimen of four or fewer antiretroviral drugs, including an NNRTI, but no PIs.

Non-Nucleoside Reverse Transcriptase Inhibitor (NNRTI): a member of a class of compounds, including DELAVIRDINE, NEVIRAPINE, EFAVIRENZ and ETRAVIRINE that acts to directly combine with and block the action of HIV's reverse transcriptase enzyme.

N(t)RTI: a category of drug encompassing both NUCLEOSIDE ANALOG and NUCLEOTIDE ANALOG

Nucleoside Analog (Nucleoside Analog Reverse Transcriptase Inhibitor, NRTI): a type of ANTIVIRAL drug whose structure constitutes a defective version of a natural nucleoside. Nucleoside analogs may take the place of the natural nucleosides, blocking the completion of a viral DNA chain during infection of a new cell by HIV. The HIV enzyme reverse transcriptase is more likely to incorporate nucleoside analogs into the DNA it is constructing than is the DNA polymerase that cells normally use for DNA construction.

Nucleotide Analog: ANTIVIRAL compounds that function exactly like NUCLEOSIDE ANALOGS but are preactivated through the addition of a phosphate group during their synthesis. This phosphorylation is supposed to enhance the drug levels and activity achieved within cells.

Odefsey: the Gilead trade name for a tablet containing RILPIVIRINE, EMTRICITABINE and TENOFOVIR AF.

One or more PI: a combination therapy regimen of four or fewer antiretroviral drugs, including one unboosted PI or 2 or more PIs with or without a small (400 mg or less, total daily dose) additional dose of RITONAVIR.

Other: an antiretroviral regimen in the HIV/AIDS Drug Treatment program other than NNRTI/no PI, boosted PI, 1 or more PIs or MDRT-based regimens (eg. Triple Nucleoside regimens).

Pentamidine: an antiprotozoal drug used in aerosol form as a preventative against pneumocystis carinii pneumonia (PCP).

PI: see PROTEASE INHIBITOR.

Prezcobix: the Janssen trade name for a tablet containing DARUNAVIR and COBICISTAT.

Prodrug: a compound that is converted within the body into the active form that has medical effects.

Protease Inhibitor: a drug that binds to and blocks HIV protease from working, thus preventing the production of new functional viral particles.



BRITISH COLUMBIA CENTRE for EXCELLENCE in HIV/AIDS







Raltegravir (Isentress): an INTEGRASE INHIBITOR from Merck.

Restarted/ changed therapy (Tx): a person in the HIV/AIDS Drug Treatment program that was either CURRENTLY OFF THERAPY and now has been prescribed a new regimen or a person who has changed regimens.

Rifabutin (Mycobutin): an oral drug used to prevent mycobacterium avium complex (MAC) in people with advanced HIV infection. Rifabutin is also used in combination with other drugs for the treatment of active MAC infections.

Rilpivirine (Edurant): a NON-NUCELOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Janssen.

Ritonavir (Norvir): a PROTEASE INHIBITOR from Abbott. Ritonavir is commonly used to inhibit the liver enzyme metabolism of other protease inhibitors and improve their blood exposure ("booster").

Stavudine (Zerit): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Stopped all therapies (Tx): a person in the HIV/AIDS Drug Treatment program that stopped all therapies in this time period and is now CURRENTLY OFF THERAPY.

Stribild: the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICISTAT, EMTRICITABINE and TENOFOVIR DF.

Tenofovir alafenamide (Tenofovir AF, TAF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV. It is currently available as a component of DESCOVY and GENVOYA.

Tenofovir disoproxil fumarate (Viread, Tenofovir DF, TDF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV and hepatitis B.

Tipranavir (Aptivus): a PROTEASE INHIBITOR from Boehringer Ingelheim that has activity against HIV in treatment-experienced patients.

Triple Therapy: the use of three drugs, most often a PROTEASE INHIBITOR or NON-NUCLEOSIDE ANALOG with two NUCLEOSIDE ANALOGS, in the treatment of HIV.

Triumeq: the ViiV Healthcare's trade name for a tablet containing DOLUTEGRAVIR, ABACAVIR and LAMIVUDINE.

Trizivir: the ViiV Healthcare's trade name for a tablet containing ABACAVIR, ZIDOVUDINE and LAMIVUDINE.

Truvada: the Gilead trade name for a tablet containing TENOFOVIR DF and EMTRICITABINE.

Valganciclovir: an antiviral drug used to treat cytomegalovirus (CMV) retinitis.

Viral Load: the amount of HIV RNA per unit of blood plasma. An indicator of virus concentration and reproduction rate. HIV viral load is employed as a measure of the success of antiretroviral therapy.

Zidovudine (Retrovir): a NUCLEOSIDE ANALOG from ViiV Healthcare. AZT is also approved for preventing maternal-fetal HIV transmission.





