





DOXYCYCLINE FOR BACTERIAL SEXUALLY TRANSMITTED INFECTION (B-STI) PREVENTION

ENROLMENT & PRESCRIPTION FORM

STIP ID #	☐ B-STI Prevention Initial Enrolment
FE/PrEP ID #	☐ B-STI Prevention Prescription Refi

Please return completed form by Fax 604-806-9044

BC-CfE Drug Treatment Program

CFE/PrEP ID #		☐ B-STI Prevention	on Prescription Refill	I		urrard Street, Vancouver, BC Telephone: 604-806-8515		
Patient & Prescriber Information								
Patient (Legal First or Giver	n Names):	Patient (Legal Las	Patient (Legal Last Name):			Telephone:		
Patient's Address:		I	Postal Code: BC Personal Health Number or Other Bil			Number or Other Billing #:		
O + Di-H-					D: 41			
Sex at Birth: Gender Identity:				Date of Birth:				
Male Female Man Woman Other:					DD MON YYYY			
Does this individual self-identify as an Indigenous person? Yes N				Unkn	own	Prefer not to answer		
If Yes, ☐ First Nations ☐ Métis ☐ Inuit ☐ Other:								
If the individual does not self-identify as an Indigenous person, how does this individual self-identify? (Check all that apply)								
	Asian	Latin American	Middle Eastern	Sout	h Asian	Southeast Asian		
☐ White ☐ Other	r:			Unk	nown	Prefer not to answer		
Prescriber Information		er (CPSIE)):					
Prescriber Name: MSP number:								
Prescriber Address: Telephone:								
Fax:								
Lateral Barrers - Ethallate	4. D		1.11	1 1				
Initial Program Eligibili		m information can be foun ipant: (Must be currently en			_			
HIV Pre-Exposure Prophylaxis Program (HIV PrEP) or HIV Treatment Program (Person living with HIV) Identifies with one of the following groups: Gay, bisexual and other men who have sex with men or Transgender woman If other group, provide clinical justification: B-STI risk: (Select all that apply) History of B-STI in the past year and / or Clinically assessed increased risk of B-STI								
Medical Information								
Most recent B-STI screeni		Most recent B-STI(s) diag (check all that apply): None Syphilis	nosed in the past 12 m	onths [Orug Allergi	es/ Intolerance (specify):		
DD MON YYYY		Chlamudia						
Confirmed no currently active B-STI (prior to starting doxycycline prophylaxis)		Chlamydia						
		Gonorrhea	DD MON YYYY		None			
Medication Prescription	<u> </u>			ı				
Doxycycline 100 mg Take two capsules or tablets (2 x 100 mg) as soon as possible (up to 72 hours) capsule or tablet after condomless sex. Maximum 200 mg per 24 hours.								
Quantity: Initial prescript (no prior doxycyclir		Continuation 30	☐ 60 ☐ 100) capsu	les / tablets			
Pick-up site: ☐ St. Paul's Hospital Ambulatory Pharmacy, #B163-1081 Burrard Street, Vancouver BC, Telephone: 1-800-547-3622								
Healthcare site (outside Vancouver):								
Prescriber's signature: _			MSC#:	Date:				
BC-CfE USE ONLY Reviewe	r Initials:	1	Date:					